

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Industrial Water Supply – Water supply to Visakhapatnam Steel Plant – Orders – Issued.

IRRIGATION & CAD (PW- REFORMS) DEPARTMENT

G.O.Rt. No. 356

Dated: 05-06-2010

Read the following:-

1. Meeting with Chief Secretary on 4-5-2010.
2. G.O.Rt.No. 255, Irrigation & CAD (PW-Reforms) Dept. dt. 5-5-2010.

ORDER:

A meeting was held in the chamber of Chief Secretary on 04-05-2010, attended by CMP RINL, (VSP), VIWSCO, officials of GVMC, APIIC, and Irrigation Department to augment water supply to Visakhapatnam Steel Plant.

2. Subsequently in GO second cited, orders were issued for lifting total 200 c/s from Yeleru reservoir, for one month from 05-05-2010.

3. Now the CMD RINL (VSP) have informed that pumping in full as contemplated, was not possible due to prevailing condition of canal and also due to closure of canal in the recent cyclone, which has resulted in short supply of water to RINL (VSP). Therefore he has requested for extending pumping for additional one month.

4. Under the circumstances, explained permission is hereby accordingly to pump 200 c/s (total) from Yeleru Reservoir, dead storage for one more month from 06.06.2010.

5. However instructions issued in GO 2nd cited may be followed.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SATYA PRAKASH TUCKER
PRINCIPAL SECRETARY TO GOVT.(Irrigation)

TO

1. Principal Secretary, Industries & Commerce – with reference to following the water supply to VSP.
2. Chairman & Managing Director, RINL (VSP) for information and communicate daily inflow through SMS to all relevant case for proper monitor.
3. Chief Engineer, GVMC.
4. District Collector, East Godavari and Visakhapatnam – with request to provide assistance to the RINL, in conduct of Water Management / Patrolling on Yeleru Canal, to improve water supply to RINL, Vizag (VSP) & supervise entire operation.
5. Engineer-in-Chief (Irrigation) with a request to provide necessary assistance and issue suitable instructions to the field staff.
6. Commissioner, GVMC, Visakhapatnam – with reference monitor on daily basis.
7. Chairman, APIIC.

// FORWARDED :: BY ORDER //

SECTION OFFICER